Alteration of resting period of pollen of five cultivars of Apocynaceae by mineral (sodium tetraborate): Further Evidence of a Criticism of Brewbaker and Kwack (1963), Sudhakaran (1967-Ph.D.Thesis) and Saoji and Chitaley (1972) – A Critical Review*

S.A. Salgare

Salgare Research Foundation, Maharashtra, India

Abstract

Sodium tetraborate altered the resting period of pollen of 7 series and failed in 2 series of the Apocynaceae.

Keywords:- Palynology, Minerals, Growth regulators

Introduction

Palynology, in recent years has attracted the attention of workers of different disciplines on account of its numerous applications to problems of plant taxonomy, genetics, geology, medical and agricultural sciences. Pollen physiology furnishes the information required for effecting hybridization of plants growing in different geographical and climatic regions with blooms in different seasons.

Materials and Method

Pollen of successive flowers (viz. F, F-24, F-48, F-72 series *i.e.* open flowers and the flower buds which require 24, 48, 72 hours to open respectively) of 5 cultivars of Apocynaceae *e.g.* red-, pink- and white-flowered cultivars of *Nerium odorum* Soland. and pink- and white-flowered cultivars of *Catharanthus roseus* (L.) G. Don. were collected at the stage of the dehiscence of anthers in the open flowers. Germination of pollen grains of successive flowers was studied by standing-drop technique in the optimum concentrations of sucrose as well as in the optimum concentrations of sucrose supplemented with the optimum concentrations of sodium tetraborate (Table-1). The rate of pollen germination of successive flowers was determined by fixing the cultures at one hour intervals. Such preparations were continued for 10 hours. Observations on the germination of pollen were recorded 24 hours after incubation.

Results and Discussion

Potentiality of pollen germinability was recorded in F series of all the 5 cultivars of the Apocynaceae studied. It was the pollen of F-24 series of red-flowered cultivar of *Nerium odorum* and both the cultivars of *Catharanthus roseus* found germinated in the optimum concentrations of sucrose. It should be pointed out that the pollen of F-48 and F-72 series of pink-flowered cultivar of *C. roseus* showed their germination in the optimum concentrations of sucrose. Thus the potentiality of pollen germinability in Apocynaceae was observed in 10 out of 20 series investigated (Table-1). Germination of pollen of F-72 series of pink-flowered cultivar of *Catharanthus roseus* in *vitro* culture of sucrose was noted in the present investigation.

Copyright by ASEA All rights of reproduction in any form reserved (41)

However, Trisa Palathingal (1990-M.Phil.Thesis) failed to germinate the pollen of F-72 series of pinkflowered cultivar of *C. roseus* in Brewbaker and Kwack's (1963) culture medium. This proves that the culture medium is also having the bearing on the germination of pollen. This also confirms that Brewbaker and Kwack's (1963) culture medium is not ideal for pollen cultures. This was also pointed out earlier by the author (2006h, m, o, 07d).

The delay in pollen germination was interpreted by Saoji and Chitaley (1972) as being due to the grains not being mature enough to effect pollination, immediately after being shed from the anther. Further they stated that 4-5 hours are required for the complete maturation of pollen grains. It was Salgare(1983) who pointed out of the first time that the pollen require resting period before germination and it was the failure of Saoji and Chitaley (1972) who misinterpreted the resting period for pollen maturity. Further he(1983) stated that this resting period differs species to species which is also noted in the present investigation (Table-1). This resting period is altered by different chemicals. Present work as well as the extensive work of Salgare (1983, 84, 85, 86b, 2001, 04, 05a-b, 06b-f, i, k, n-o, 07a-b, d-e), Salgare and Theresa Sebastian (1986), Salgare and Shashi Yadav (2002, 05), Salgare and Sanchita Pathak (2002, 05) and Salgare and Sanju Singh (2006) made it very clear that Saoji and Chitaley's (1972) arguments are superficial and misleading. Sodium tetraborate altered the resting period of pollen of 7 series and failed in 2 series of the Apocynaceae (Table-1). The mineral extended the resting period of pollen of 6 series. Sodium tetraborate caused maximum extension in the resting period of the pollen of F series of pink-flowered cultivar of Nerium odorum. Alteration of resting period of pollen of successive flowers by the minerals was noted by Salgare and Shashi Yaday (2002, 05). Alteration of the resting period of pollen by the herbicides was noted by the author (1983, 84, 85, 86b, 2001, 04, 05a-b, 06b-f, i, k, n-o, 07a-b, d-e) and Salgare and Theresa Sebastian (1986). Recently Salgare and Sanchita Pathak (2002, 05) and Salgare and Sanju Singh (2006) noted the alteration of resting period of pollen by the heavy metal. Variation of the resting period of pollen of successive flowers of 5 cultivars of Petunia axillaris in various sugars was recorded by the author (2007b, f).

Table-1: Effect of sodium tetraborate on the rate of pollen germination of successive flowers of five cultivars of Apocynaceae

Cultivars			Conc.		trfpg	
	Series	% P V	S C	ST	С	Т
Nerium odorum						
Pink-flowered	F	91 ± 0.42	50	10	1	7
W hite-flowered	F	61±2.87	50	10	3	5
Red-flowered	F	61±3.17	20	05	1	3
Red-flowered	F - 2 4	61±3.17	20	10	1	3
Catharanthus roseus						
W hite-flowered	F	89±0.97	20	0 1	1	1
W hite-flowered	F - 2 4	89±0.97	50	10	2	1
Pink-flowered	F	93 ± 0.98	20	10	1	4
Pink-flowered	F - 2 4	93 ± 0.98	50	0 1	1	1
Pink-flowered	F - 4 8	93 ± 0.98	50	0 1	8	5
Pink-flowered	F - 7 2	93 ± 0.98	80	Ng ₂	Ng ₂	Ng ₂
C, in control sets time required for germination of pollen in optimum concentrations of sucrose; ST, optimum concentrations of sodium tetraborate in mg/ml; Conc						

C, incomproses time required or germandition or pole into optimum concentrations of sucrose; st. sporse in %C space and sodium termation of pole and space and sodium termatic concentrations of sources in %C Space and Spa Space and Space

Environment Conservation Journal

(42)

Sudhakaran (1967) stated that in *Vinca rosea* L. [*Catharanthus roseus* (L.) G. Don.] besides pollen grains which produced single pollen tube, it has also been noticed that tetraploid grains frequently produce more than one pollen tube. Pollen tubes are branched quite frequently. Aberrations of this type in the pollen tube development are not observed in diploid pollen tubes, but quite frequently met with the pollen grains of irradiated plants. Salgare (1983, 86a, 2006a-c, e, g-h, j, l-m, 07b-d) made it very clear that Sudhakaran (1967) had failed to trace out the branched pollen tubes and polysiphonous condition which is fairly common even in diploid pollen grains. Apart from this Sudhakaran (1967) was not able to report the various types of pollen tube deformities either with diploid or tetraploid grains. Present findings as well as the previous work of Salgare (1983, 86a, 2006a-c, e, g-h, j, l-m, 07b-d) also proved that Sudhakaran's (1967) observations are superficial and misleading.

References

- Brewbaker, J.L. and Kwack, B.H., 1963. The essential role of Ca ion in pollen germination and pollen tube growth. *Amer. J. Bot.* 50: 859-865.
- Salgare, S.A., 1983. Pollen physiology of Angiosperms. Ph.D. Thesis, Univ. Bombay.
- Salgare, S.A., 1984.. A Criticism on the paper of Saoji and Chitaley (1972) entitled, 'Palynological studies in *Bauhinia variegata* Linn.'. Proc. 4th Indian Palyno. Conf., held on March 19-21, 1984 at Deptt. of Environ. Sci., Andhra Univ., Visakhpatnam – 530 003. Abstract No. S III-05.
- Salgare, S.A., 1985. A Criticism on the hypothesis of Saoji and Chitaley (1972). Proc. 2nd Ann. Conf. of Nat. Environ. Sci. Acad., held on May 25-27,1985 at Awadh Univ., Faizabad, Abstract No. 72.
- Salgare, S.A., 1986a. A Criticism on Ph.D. Thesis of Sudhakaran (1967) entitled, 'Cytogenetic studies in *Vinca rosea* Linn.'. Proc. 1st Nat. Symp. Environ. Biol., held on December 30-31, 1986 at Deptt. Zool. and Microbiol., S. K. Univ., Anantapur – 515 003, Abstract No. 5.
- Salgare, S.A., 1986b. Further evidence of a criticism on the findings of Saoji and Chitaley (1972). Proc. 1st Nat. Symp. on Environ. Biol., held on December 30-31, 1986 at S.K.Univ., Anantapur - 515 003, Abstract No. 17.
- Salgare, S.A., 1986c. Pollen physiology of successive flowers. D.Sc. Thesis, Marathwada Univ.
- Salgare, S.A., 2001. Resting Period of Pollen A Criticism on the Hypothesis of Saoji and Chitaley (1972) – A Critical Review – V. *Biojournal*, 13: 45-48.
- Salgare, S.A., 2004. Resting Period of Pollen (sucrose + 2,4-Dinitrophenol) A Criticism of the Hypothesis of Saoji and Chitaley (1972) A Critical Review. *Him. J. Env. Zool.*, 18: 69-71.
- Salgare, S.A., 2005a. Alteration of Resting Period of Pollen of Apocynaceae by herbicide (fernoxone) and A Criticism on the Hypothesis of Saoji and Chitaley (1972) – A Critical Review. *Him. J. Env. Zool.*, 19:73-75.
- Salgare, S.A., 2005b. Alteration of resting period of pollen of some cultivars of Apocynaceae by herbicide (gramoxone) and Further Evidence of a Criticism on the Hypothesis of Saoji and Chitaley (1972)–ACritical Review. *Flora and Fauna*, 11: 161-162.
- Salgare, S.A., 2006a. Further Evidence of a Criticism of the Findings of Sudhakaran (1967-Ph.D. Thesis) and Katre and Ghatnekar (1978)*. *Internat. J. Biosci. Reporter*, 4:19-20.

Environment Conservation Journal (43)

- Salgare, S.A., 2006b. Effect of acrolein on pollen germination and tube growth of stored pollen of Apocynaceae and further evidence of a criticism of the hypothesis of Sudhakaran (1967) -A Critical Review. *Him. J. Env. Zool.*, 20: 137-139.
- Salgare, S.A., 2006c. Effect of fernoxone on pollen germination and tube growth of twelve hours stored pollen of Apocynaceae and further evidence of a criticism of the hypothesis of Sudhakaran (1967). Asian J. Bio Sci, 1:160.
- Salgare, S.A., 2006d. Alteration of resting period of pollen of Apocynaceae by herbicide (acrolein) and a criticism on the hypothesis of Saoji and Chitaley (1972) – A Critical Review. *Internat. J. Biosci. Reporter*, 4: 33-35.
- Salgare, S.A., 2006e. Alteration of resting period of pollen of Apocynaceae by herbicide (nitrofen): Further evidence of a criticism of Sudhakaran (1967-Ph.D. Thesis), Saoji and Chitaley (1972), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980 - Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982 - Ph.D. Thesis) and Giridhar (1984 - Ph.D. Thesis). *Internat. J. Agri. Sci.*, 3: 239-243.
- Salgare, S.A., 2006f. Alteration of resting period of pollen of Apocynaceae by herbicide (sodium penta chloro phenate) and further evidence of a criticism of the hypothesis of Saoji and Chitaley (1972). Asian J. Bio Sci., 1: 161-162.
- Salgare, S.A., 2006g. Effect of herbicide (acrolein) on pollen germination and tube growth of twelve hours stored pollen of five cultivars of Apocynaceae: Further Evidence of a Criticism of Sudhakaran (1967-Ph.D. Thesis), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980-Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982-Ph.D. Thesis) and Giridhar (1984-Ph.D. Thesis) – A Critical Review*. J. Natcon, 18: 283-290.
- Salgare, S.A., 2006h. Whether optimum pollen germination and tube length attained in the same growth medium (sucrose + 2,4-D) by five cultivars of the Apocynaceae : Further Evidence of a Criticism of Banerji and Gangulee (1937), Brewbaker and Kwack (1963), Sudhakaran (1967-Ph.D. Thesis), Dharurkar (1971 Ph.D. Thesis), Nair, Nambudiri and Thomas (1973), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980 Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982- Ph.D. Thesis) and Giridhar (1984 Ph.D. Thesis) A Critical Review. *Environ. Conservation J.*, 7: 21-29.
- Salgare, S.A., 2006i. Alteration of resting period of pollen of Apocynaceae by herbicide (dalapon) and Further Evidence of A Criticism of the Hypothesis of Saoji and Chitaley (1972) - A Critical Review. *Plant Archives*, 6: 385-386.
- Salgare, S.A., 2006j. Effect of gramoxone on pollen germination and tube growth of twelve hours stored pollen of Apocynaceae and Further Evidence of A Criticism of the Hypothesis of Sudhakaran (1967) - A Critical Review –2. *Plant Archives*, 6: 389-390.
- Salgare, S.A., 2006k. Alteration of resting period of pollen of five cultivars of *Petunia axillaris* BSP. by atrataf 50W: Further Evidence of a Criticism of Saoji and Chitaley (1972), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre Environment Conservation Journal

(44)

(1980-Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982-Ph.D. Thesis) and Giridhar (1984-Ph.D. Thesis) – A Critical Review. *J. Natcon*, 18: 353-360.

- Salgare, S.A., 2006l. Effect of atrataf 50W on pollen germination and tube growth of Twelve hours stored pollen of Apocynaceae and further evidence of a criticism of Sudhakaran (1967) - A critical review-1*. *Internat. J. Biosci. Reporter*, 4: 204-206.
- Salgare, S.A., 2006m. Monitoring of herbicide (2,4-dinitrophenol) toxicity by using pollen as indicators Pollen of five cultivars of Apocynaceae: Further evidence of a criticism of Banerji and Gangulee (1937), Brewbaker and Kwack (1963), Sudhakaran (1967-Ph.D.Thesis), Dharurkar (1971 - Ph.D. Thesis), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980 - Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982 - Ph.D. Thesis) and Giridhar (1984 - Ph.D. Thesis) – A Critical Review*. *Res. Hunt*, 1: 1-6.
- Salgare, S.A., 2006n. Alteration of resting period of pollen of five cultivars of *Petunia axillaris* BSP. by atrataf50W: Further Evidence of a Criticism of Saoji and Chitaley (1972), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980-Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982-Ph.D. Thesis) and Giridhar (1984-Ph.D. Thesis) – A Critical Review. *J. Natcon*, 18: 357-364.
- Salgare, S.A., 2006o. Alteration of resting period of pollen of five cultivars of *Petunia axillaris* BSP. by Gramoxone: Further Evidence of a Criticism of Brewbaker and Kwack (1963), Saoji and Chitaley (1972), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980-Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982-Ph.D. Thesis) and Giridhar (1984-Ph.D. Thesis) – A Critical Review. *Environ. Conservation J.*, 7: 51-57.
- Salgare, S.A., 2007a. Variation in the resting period of pollen of successive flowers of five forms of *Petunia axillaris* bsp. *in vitro* culture of sugars (D-glucose and sucrose) and further evidence of a criticism of Saoji and Chitaley (1972) C critical review*. *Internat. J. Plant Sci.*, 2: 231-233.
- Salgare, S.A., 2007b. Alteration of Resting Period of Pollen of five cultivars of Apocynaceae by Herbicide (2,4-D) and Further Evidence of a Criticism of Sudhakaran (1967) and Saoji and Chitaley (1972): A Critical Review. *Him. J. Env. Zool.*, 21: 167-169.
- Salgare, S.A., 2007c. Effect of Herbicide (sodium arsenite) on Pollen germination and Tube growth of twelve hours stored pollen of five cultivars of Apocynaceae and Further Evidence of a Criticism of Sudhakaran (1967): A Critical Review. *Him. J. Env. Zool.*, 21: 171-173.
- Salgare, S.A., 2007d. Alteration of resting period of pollen of five cultivars of the Apocynaceae by herbicide (2,4-Dinitrophenol): Further Evidence of a Criticism of Brewbaker and Kwack (1963), Sudhakaran (1967-Ph.D.Thesis), Saoji and Chitaley (1972), Berg (1973), Brandt (1974), Vick and Bevan (1976), Rasmussan (1977), Navara, Horvath and Kaleta (1978), Mhatre (1980 Ph.D. Thesis), Mhatre, Chaphekar, Ramani Rao, Patil, Haldar (1980), Shetye (1982 Ph.D. Thesis) and Giridhar (1984 Ph.D. Thesis) A Critical Review*. *Res. Hunt*, 2: 107-114.
- Salgare, S.A., 2007e. Variation of the Resting Period of Pollen of successive flowers of five forms of *Petunia axillaris* BSP. *in vitro* culture of Sugars (D-glucose and sucrose) and Further Evidence of a Criticism of Saoji and Chitaley (1972). *Internat. J. Plant Sci.*, 2: 261-263. Environment Conservation Journal

(45)

- Salgare, S.A. and Sanchita Pathak, 2002. Effect of Heavy Metal (manganous sulphate) on the Resting Period of Pollen of pink-flowered Catharanthus roseus and A Criticism on the Hypothesis of Saoji and Chitaley (1972) - A Critical Review I. Biojournal, 14: 9-12.
- Salgare, S.A. and Sanchita Pathak, 2005. Effect of heavy metal (manganous sulphate) on the resting period of pollen of pink-flowered Catharanthus roseus and Further Evidence of a Criticism to the Hypothesis of Saoji and Chitaley (1972) - A Critical Review. Flora and Fauna, 11: 197-198.
- Salgare, S.A. and Sanju Singh, 2006. Effect of heavy metal (cobalt nitrate) on resting period of pollen of pink-flowered Catharanthus roseus and further evidence of a criticism on the hypothesis of Saoji and Chitaley (1972) - A critical review. Him. J. Env. Zool., 20: 135-136.
- Salgare, S.A. and Shashi Yadav, 2002. Alteration of Resting Period of Pollen of white-flowered Catharanthus roseus by Mineral (calcium nitrate) and a Criticism on the Hypothesis of Saoji and Chitaley (1972) - A Critical Review - I. Biojournal, 14: 17-20.
- Salgare, S.A. and Shashi Yadav, 2005. Effect of mineral (potassium sulphate) on the resting period of pollen of white-flowered catharanthus roseus and Further Evidence of a Criticism on the Hypothesis of Saoji and Chitaley (1972) - A Critical Review. Flora and Fauna, 11: 171-172.
- Salgare, S.A. and Theresa Sebastian, 1986. Further evidence of a criticism on the findings of Saoji and Chitaley (1972). Proc. 1st Nat. Symp. Environ. Biol., held on December 30-31, 1986 at Deptt. Zool. and Microbiol., S. K. Univ., Anantapur - 515 003, Abstract No. 17.
- Saoji, A.A. and Chitaley, S.D., 1972. Palynological studies in Bauhinia variegata Linn. Botanique 3: 7-12.
- Trisa Palathingal, 1990. Evaluation of industrial pollution of Bombay by pollen I. M. Phil. Thesis, Univ. Mumbai.

Environment Conservation Journal (46)